



# GALVANIZED STEEL CABLE

Read important warnings and information in T.O.C. > GENERAL WARNINGS and WIRE ROPE 

Small diameter 7 x 7 and 7 x 19 construction cable is sometimes referred to as "aircraft cable". It is not intended for aircraft use but designed for industrial and marine applications according to Federal Specification RR-W-410E and A.S.T.M. A 1023/A 1023M, as applicable.

## 7 x 7 GALVANIZED CABLE



7 X 7

Size	Approx. Wt. per 1000 Ft. in Pounds	Breaking Strength in Pounds*
1/16"	7.5	480
5/64"	11	650
3/32"	16	920
1/8"	28	1,700
5/32"	43	2,600
3/16"	62	3,700
1/4"	106	6,100

## 7 x 19 GALVANIZED CABLE



7 X 19

Size	Approx. Wt. per 1000 Ft. in Pounds	Breaking Strength in Pounds*
3/32"	17.4	1,000
1/8"	29	2,000
5/32"	45	2,800
3/16"	65	4,200
7/32"	86	5,600
1/4"	110	7,000
5/16"	173	9,800
3/8"	243	14,400

## DISPLAY REELS - galvanized cable



DISPLAY REELS

Size	Construction	Approx. Wt. per 1000 Ft. in Pounds	Display Reels Lengths Available	
1/16"	7 x 7	7.5	500'	250'
3/32"	7 x 7	16	500'	250'
1/8"	7 x 7	28	500'	250'
5/32"	7 x 7	43	500'	250'
3/16"	7 x 7	62	500'	250'
1/8"	7 x 19	29	500'	250'
5/32"	7 x 19	45	500'	250'
3/16"	7 x 19	65	500'	250'
1/4"	7 x 19	110	500'	250'
5/16"	7 x 19	173	500'	200'
3/8"	7 x 19	243	500'	200'

\*Listed for comparison only. Actual operating loads may vary, but should never exceed the recommended design factor or 20% of catalog Breaking Strength.



# STAINLESS STEEL CABLE

Read important warnings and information in T.O.C. > GENERAL WARNINGS and WIRE ROPE 

Small diameter 7 x 7 and 7 x 19 construction cable is sometimes referred to as "aircraft cable". It is not intended for aircraft use but designed for industrial and marine applications.

## 7 x 7 STAINLESS STEEL CABLE, TYPE 304

Size	Approx. Wt. per 1000 Ft. in Pounds	Breaking Strength in Pounds*
1/16" **	7.5	480
3/32" **	16	920
1/8"	28	1,700
3/16"	62	3,700



7 X 7

## 7 x 19 STAINLESS STEEL CABLE, TYPE 304

Size	Approx. Wt. per 1000 Ft. in Pounds	Breaking Strength in Pounds*
3/32" **	17	920
1/8" **	29	1,760
5/32" **	45	2,400
3/16" **	65	3,700
7/32" **	86	5,000
1/4" **	110	6,400
5/16" **	173	9,000
3/8" **	243	12,000



7 x 19

## 7 x 19 STAINLESS STEEL CABLE, TYPE 316

Size	Approx. Wt. per 1000 Ft. in Pounds	Breaking Strength in Pounds*
1/16"(7x7)	7.5	360
1/8"	29	1,670
3/16"	65	3,565
1/4"	110	5,875
5/16"	173	8,825
3/8"	243	11,760



7 x 19

\*Listed for comparison only. Actual operating loads may vary, but should never exceed the recommended design factor or 20% of catalog Breaking Strength.

\*\* According to Federal Specifications RR-W-410E.




# VINYL COATED CABLE - GALVANIZED & STAINLESS

Read important warnings and information in T.O.C. > GENERAL WARNINGS and WIRE ROPE 


Small diameter 7 x 7 and 7 x 19 construction cable is sometimes referred to as "aircraft cable". **It is not intended for aircraft use** but designed for industrial and marine applications. When using wire rope clips with plastic coated cable, match clip size to uncoated cable diameter (3/16" cable coated to 1/4" takes 3/16" clip.) Strip plastic coating off cable where clips will be positioned for full holding power. Uncoated cable according to Federal Specification RR-W-410E. Uncoated galvanized cable is in accordance with A.S.T.M. A1023/1023M, Wire Rope for General Purposes, as applicable.

## CLEAR VINYL COATED CABLE, GALVANIZED

Cable Diameter	Coated to	Approx. Wt. per 1000 Ft. in Pounds	Breaking Strength in Pounds*	Construction
1/16"	3/32"	9.3	480	7 x 7
1/16"	1/8"	11.8	480	7 x 7
3/32"	1/8"	18.5	920	7 x 7
3/32"	3/16"	25.8	920	7 x 7
1/8"	3/16"	35.2	1,700	7 x 7
1/4"	5/16"	122	6,100	7 x 7
3/32"	1/8"	19.9	1,000	7 x 19
1/8"	3/16"	36.2	2,000	7 x 19
3/16"	1/4"	77.5	4,200	7 x 19
3/16"	5/16"	77.5	4,200	7 x 19
1/4"	5/16"	123	7,000	7 x 19
5/16"	3/8"	197	9,800	7 x 19
3/8"	7/16"	270	14,400	7 x 19



7 x 7



7 x 19

## DISPLAY REELS – Vinyl Coated Galvanized Cable


Cable Diameter	Coated to	Approx. Wt. per 1000 Ft. in Pounds	Construction	Lengths Available in ft.	
3/32"	3/16"	25.8	7 x 7	500'	250'
1/8"	3/16"	35.2	7 x 7	500'	250'
3/16"	1/4"	77.5	7 x 19	500'	250'
1/4"	5/16"	123	7 x 19	500'	200'
5/16"	3/8"	197	7 x 19	500'	200'



DISPLAY REELS

## CLEAR VINYL COATED STAINLESS CABLE TYPE 304

Cable Diameter	Coated to	Approx. Wt. per 1000 Ft. in Pounds	Breaking Strength in Pounds*	Construction
1/16"	3/32"	9.3	480	7 x 7
3/32"	1/8"	18.5	920	7 x 7
1/8"	3/16"	36.2	1,760	7 x 19
3/16"	1/4"	77.5	3,700	7 x 19
1/4"	5/16"	123	6,400	7 x 19
5/16"	3/8"	197	9,000	7 x 19
3/8"	7/16"	270	12,000	7 x 19



7 x 19

Also available on special order: nylon and vinyl in various colors. Approx. 10 days delivery.

\* Listed for comparison only. Actual operating loads may vary, but should never exceed recommended design factor or 20% of catalog Breaking Strength.